

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

Product	MSDS	Distributor	Format	Language	Quantity
243002	104399	Hach Company	OSHA	English	1
243002	1407899	Hach Company	OSHA	English	1
243002	172533	Hach Company	OSHA	English	1
243002	189736	Hach Company	OSHA	English	1
243002	2119432	Hach Company	OSHA	English	1
243002	2329332	Hach Company	OSHA	English	1
243002	2408932	Hach Company	OSHA	English	1
243002	2620532	Hach Company	OSHA	English	1
243002	39732	Hach Company	OSHA	English	1
243002	42432	Hach Company	OSHA	English	1
243002	42532	Hach Company	OSHA	English	1
243002	42632	Hach Company	OSHA	English	1
243002	67132	Hach Company	OSHA	English	1
243002	94399	Hach Company	OSHA	English	1
243002	98199	Hach Company	OSHA	English	1
243002	98299	Hach Company	OSHA	English	1
243002	98768	Hach Company	OSHA	English	1

Total Enclosures: 17

FF1A
MSDS

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00022

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Chloride 2 Indicator
Catalog Number: 104399

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00022

Chemical Name: Not applicable

CAS No.: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

Hazard: Toxic. Causes eye burns. Causes asthma Causes damage to the nasal epithelia and skin Causes lung cancer

Date of MSDS Preparation:

Day: 12

Month: April

Year: 2006

2. COMPOSITION / INFORMATION ON INGREDIENTS

Potassium Chromate

CAS No.: 7789006

TSCA CAS Number: 7789-00-6

Percent Range: 45.0 - 55.0

Percent Range Units: weight / weight

LD50: Oral mouse LD₅₀ = 180 mg/kg.

LC50: None reported.

TLV: 0.05 mg/m³ (as Cr⁺⁶)

PEL: 5 µg/m³ (Cr⁺⁶), 8 Hr TWA; Action Level is 2.5 µg/m³, 8 Hr TWA

Hazard: Toxic. Causes burns. Experimental mutagen. Causes asthma Causes damage to the nasal epithelia and skin Causes lung cancer

Sodium Bicarbonate

CAS No.: 144-55-8

TSCA CAS Number: 144-558

Percent Range: 45.0 - 55.0

Percent Range Units: weight / weight

LD50: Oral rat LD50 = 4220 mg/kg

LC50: None reported

TLV: Not established

PEL: Not established

Hazard: May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Bright yellow powder

Odor: None

CAUSES EYE BURNS HARMFUL IF SWALLOWED OR INHALED MAY CAUSE SKIN AND RESPIRATORY TRACT IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION CANCER HAZARD CONTAINS MATERIAL WHICH CAN CAUSE CANCER

HMS:

Health: 4*

Flammability: 0

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 0

Reactivity: 1

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes eye burns.

Skin Contact: May cause: redness skin sensitization Repeated exposures may cause dermatitis Contact through broken or abraded skin may cause: scarring ulcerations

Skin Absorption: Will be absorbed through the skin. Effects similar to those of ingestion

Target Organs: Liver

Ingestion: May cause: abdominal pain diarrhea dizziness thirst shock liver damage followed by circulatory collapse toxic nephritis (inflammation of the kidneys) alkalosis which causes abnormally high alkali reserve of the blood and other body fluids

Target Organs: Liver

Inhalation: May cause: respiratory tract irritation coughing wheezing pulmonary sensitization Causes lung cancer Causes damage to the nasal epithelia Causes asthma

Target Organs: Liver Lungs Nasal cavity

Medical Conditions Aggravated: Pre-existing: Skin conditions Allergies or sensitivity to chromates or chromic acid. Asthma

Chronic Effects: Chromate and dichromate salts may cause ulceration and perforation of the nasal septum, severe liver damage, central nervous system effects, and lung cancer. Chronic overexposure may cause dermatitis

Cancer / Reproductive Toxicity Information:

An ingredient of this product is an OSHA listed carcinogen.

Hexavalent chromium (Cr⁶) compounds

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Hexavalent Chromium Compounds

An ingredient of this mixture is: NTP Listed Group 1: Recognized Carcinogen

Hexavalent Chromium Compounds

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, this product decomposes to form toxic gases. Strong oxidizer. Contact with combustible materials may cause a fire or explosion.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not available

Hazardous Combustion Products: Toxic fumes of: carbon monoxide, carbon dioxide, sodium monoxide, chromium oxides

Fire / Explosion Hazards: May react violently with: combustible materials, organic materials

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Carbon dioxide, Dry chemical, Water.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus, pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Releases of this material may contaminate the environment. Stop spilled material from being released to the environment.

Clean-up Technique: Avoid contact with spilled material. Sweep up material. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Mixture contains a component which is regulated as a hazardous air pollutant. Mixture contains a component which is regulated as a water pollutant. Product is regulated as RCRA hazardous waste.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: 151

7. HANDLING / STORAGE

Handling: Avoid contact with eyes, skin, clothing. Do not breathe dust. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat, moisture. Keep away from: oxidizable materials

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product. Maintain general industrial hygiene practices when using this product. Refer to the OSHA Standard at 29CFR1910.1026 for Cr (VI) (See Federal Register 28 February 2006 Page 10100.)

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves, lab coat

Inhalation Protection: dust / mist mask and / or laboratory fume hood

Precautionary Measures: Avoid contact with: eyes, skin, clothing. Do not breathe: dust. Wash thoroughly after handling. Protect from: heat, moisture. Keep away from: organic materials

TLV: Respirable Particles 3 mg/m³; Inhalable Particles 10 mg/m³. Hexavalent chromium (Cr⁺⁶) 0.05 mg/m³.

PEL: Total Dust 15 mg/m³; Respirable Fraction 5 mg/m³. Hexavalent chromium (Cr⁻⁶): 5 µg/m³ 8Hr TWA; Action Level 2.5 µg/m³ Cr⁶ 8 Hr TWA.

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Bright yellow powder

Physical State: Solid

Molecular Weight: Not applicable

Odor: None

pH: 5% solution = 8.2

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not applicable

Melting Point: decomposes @ 100°C; 212°F
Specific Gravity (water = 1): 2.25
Evaporation Rate (water = 1): Not applicable
Volatile Organic Compounds Content: Not applicable
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
Water: Soluble
Acid: Not determined
Other: Not determined
Metal Corrosivity:
Steel: Not applicable
Aluminum: Not applicable

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Heating to decomposition. Excess moisture
Reactivity / Incompatibility: Incompatible with: organic materials reducers
Hazardous Decomposition: Toxic fumes of: carbon monoxide carbon dioxide chromium trioxide
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: Oral rat LD50 = 128 mg/kg
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: Skin rabbit 500 mg - no erythema, no edema
Mutation Data: Potassium chromate- DNA damage in human fibroblast @ 50 µmol/l/4 hr; DNA damage in human lung @ 25 µmol/l; Unscheduled DNA synthesis in human fibroblast @ 100 µmol/l
Reproductive Effects Data: None reported
Ingredient Toxicological Data: Sodium Bicarbonate Oral rat LD50 = 4220 mg/kg; Potassium Chromate Oral rat LD50 = 180 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D007
Special Instructions (Disposal): Dispose of material in an E.P.A. approved hazardous waste facility.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:
D.O.T. Proper Shipping Name: Toxic Solid, Inorganic, N.O.S.
(Potassium Chromate Mixture)
DOT Hazard Class: 6.1
DOT Subsidiary Risk: NA
DOT ID Number: UN3288
DOT Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Toxic Solid, Inorganic, N.O.S.
(Potassium Chromate Mixture)
ICAO Hazard Class: 6.1
ICAO Subsidiary Risk: NA
ICAO ID Number: UN3288
ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Toxic Solid, Inorganic, N.O.S.
(Potassium Chromate Mixture)
I.M.O. Hazard Class: 6.1
I.M.O. Subsidiary Risk: NA
I.M.O. ID Number: UN3288
I.M.O. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard Fire Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Potassium Chromate

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Potassium chromate: 10 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Potassium chromate - RQ = 10 lbs. (4.54 kgs.)

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: WARNING - This product contains a chemical known to the State of California to cause cancer.

Identification of Prop. 65 Ingredient(s): Potassium Chromate

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Determination of chloride

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. In-house information. Outside Testing. Vendor Information. Technical Judgment. Cassaret and Doull's Toxicology, 3rd Ed. New York: Macmillan Publishing Co., Inc., 1986. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Patty, Frank A. Industrial Hygiene and Toxicology, 3rd Revised Edition. Volume 2. New York: A Wiley-Interscience Publication, 1981. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991.

Revision Summary: US MSDS Only Updates in Section(s) 1, 2, 3, 8,

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00055

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: NitriVer ® 3 Nitrite Reagent
Catalog Number: 1407899

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00055
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Causes eye burns.
Date of MSDS Preparation:
Day: 23
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chromatropic Acid, Disodium salt

CAS No.: 129-96-4
TSCA CAS Number: 129-964
Percent Range: 1.0 - 5.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 > 5000 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: May cause irritation.

Sodium Sulfanilate

CAS No.: 515-74-2
TSCA CAS Number: 515-742
Percent Range: 5.0 - 15.0
Percent Range Units: weight / weight
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Toxic properties unknown. May cause irritation.

Potassium Pyrosulfate

CAS No.: 7790627
TSCA CAS Number: 7790-62-7
Percent Range: 1.0 - 10.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 2340 mg/kg
LC50: None reported
TLV: Not established

PEL: Not established
Hazard: Causes eye burns.

Potassium Phosphate, Monobasic

CAS No.: 77787-0
TSCA CAS Number: 7778-77-0
Percent Range: 75.0 - 85.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 7100 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: May cause irritation.

1,2-Cyclohexanediaminetetraacetic Acid Trisodium Salt

CAS No.: 36679-96-6
TSCA CAS Number: 36679-96 6
Percent Range: 1.0 - 5.0
Percent Range Units: weight / weight
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Toxic properties unknown. May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: White powder

Odor: Not determined

CAUSES EYE BURNS MAY CAUSE SKIN AND RESPIRATORY TRACT IRRITATION

HMIS:

Health: 3

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 0

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes eye burns.

Skin Contact: May cause irritation

Skin Absorption: None reported

Target Organs: None reported

Ingestion: May cause: irritation of the mouth and esophagus Very large doses may cause: gastrointestinal disturbances cardiac depression kidney damage

Target Organs: Heart Kidneys

Inhalation: May cause: irritation of nose and throat

Target Organs: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Kidney conditions Central nervous system diseases

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, this product decomposes to form toxic gases.
Flash Point: Not applicable
Method: Not applicable
Flammability Limits:
 Lower Explosion Limits: Not applicable
 Upper Explosion Limits: Not applicable
Autoignition Temperature: Not applicable
Hazardous Combustion Products: Toxic fumes of: phosphorus oxides carbon monoxide, carbon dioxide.
Fire / Explosion Hazards: None reported
 Static Discharge: None reported.
 Mechanical Impact: None reported
Extinguishing Media: Use media appropriate to surrounding fire conditions
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:
Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.
Containment Technique: Stop spilled material from being released to the environment.
Clean-up Technique: Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush the spilled material to the drain with a large excess of water.
Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled.
Special Instructions (for accidental release): Not applicable
304 EHS RQ (40 CFR 355): Not applicable
D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Protect from: light heat moisture
 Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.
Personal Protective Equipment:
 Eye Protection: safety glasses with top and side shields
 Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. Protect from: light heat moisture
TLV: Not established
PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White powder
Physical State: Solid
Molecular Weight: Not applicable
Odor: Not determined
pH: of 5% solution = 3.2
Vapor Pressure: Not applicable
Vapor Density (air = 1): Not applicable
Boiling Point: Not applicable
Melting Point: 224°C (435°F)
Specific Gravity (water = 1): 3.12
Evaporation Rate (water = 1): Not applicable
Volatile Organic Compounds Content: Not applicable
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
Water: Soluble
Acid: Not determined
Other: Not determined
Metal Corrosivity:
Steel: 0.057 in/yr
Aluminum: 0.00 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Excess moisture Extreme temperatures
Reactivity / Incompatibility: None reported
Hazardous Decomposition: Toxic fumes of: phosphorus oxides carbon dioxide carbon monoxide
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: None reported
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: None reported
Reproductive Effects Data: None reported
Ingredient Toxicological Data: Chromatropic Acid: Oral rat LD50: >5000 mg/kg, Potassium Phosphate Monobasic: Oral rat LD50 = 7100 mg/kg, Potassium Pyrosulfate: Oral rat LD50 = 2340 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None

Special Instructions (Disposal): Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: This product contains a chemical(s) exempt from the TSCA 8(b) Inventory due to a Low Volume Exemption held by Hach Company.

TSCA CAS Number: Not applicable

1,2-Cyclohexanediaminetetraacetic Acid Trisodium Salt. This chemical may only be used as a chelating reagent for chemical reactions.

16. OTHER INFORMATION

Intended Use: Determination of nitrite

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00304

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Rochelle Salt Solution
Catalog Number: 172533

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00304
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: No effects anticipated.
Date of MSDS Preparation:
Day: 23
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 45.0 - 55.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Potassium Sodium Tartrate

CAS No.: 6384595
TSCA CAS Number: 304-596
Percent Range: 45.0 - 55.0
Percent Range Units: weight / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:
Appearance: Clear, colorless
Odor: None

HMIS:

Health: 0

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 0

Flammability: 0

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: May cause irritation

Skin Contact: No effects are anticipated

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: Practically non-toxic

Target Organs: Not applicable

Inhalation: Practically non-toxic

Target Organs: Not applicable

Medical Conditions Aggravated: None reported

Chronic Effects: No effects anticipated

Cancer / Reproductive Toxicity Information:

O.S.H.A. Listed: No

IARC Listed: No

NTP Listed: No

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Flush eyes with water.

Skin Contact (First Aid): Wash skin with plenty of water.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not applicable

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Hazardous Combustion Products: Toxic fumes of: sodium oxides potassium oxides carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Water. Carbon dioxide Alcohol foam.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Dilute with a large excess of water. Flush the spilled material to the drain with a large excess of water.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store away from: acids Protect from: heat

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Wash thoroughly after handling.

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

pH: 7.4

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: Not determined

Melting Point: Not applicable

Specific Gravity (water = 1): 1.250

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not determined

Solubility:

Water: Soluble

Acid: Not determined

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures

Reactivity / Incompatibility: None reported

Hazardous Decomposition: Toxic fumes of: sodium oxides potassium oxide carbon monoxide carbon dioxide

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: None reported

Reproductive Effects Data: None reported

Ingredient Toxicological Data: None reported

12. ECOLOGICAL INFORMATION

Product Ecological Information: No information available for this product.

Ingredient Ecological Information: None reported

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Open cold water tap completely, slowly pour the material to the drain.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product does not meet the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): This product is not hazardous under 29 CFR.1910.1200 and therefore is not covered by Title III under SARA.

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Laboratory Reagent

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. In-house information. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00649

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Phenolphthalein Solution 0.1%
Catalog Number: 189736

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00649
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: May cause irritation.
Date of MSDS Preparation:
Day: 14
Month: 12
Year: 2005

2. COMPOSITION / INFORMATION ON INGREDIENTS

Propylene Glycol

CAS No.: 5756
TSCA CAS Number: 57-55-6
Percent Range: 90.0 - 100.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 20 g/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Phenolphthalein

CAS No.: 77098
TSCA CAS Number: 77-09-8
Percent Range: < 1.0
Percent Range Units: weight / weight
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: May cause allergic reaction. May cause irritation. Suspected carcinogen.

Other component

CAS No.: Not applicable
TSCA CAS Number: Not applicable
Percent Range: < 1.0
Percent Range Units: weight / weight
LD50: Not applicable
LC50: Not applicable
TLV: Not established

PEL: Not established

Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid

Odor: Mild hydrocarbon

HMIS:

Health: 1

Flammability: 1

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 0

Flammability: 1

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes mild irritation

Skin Contact: Causes mild irritation

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: Very large doses may cause: central nervous system depression kidney damage rapid pulse and respirations convulsions

Target Organs: None reported

Inhalation: No effects anticipated

Target Organs: Not applicable

Medical Conditions Aggravated: None reported

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Can burn in fire, releasing toxic vapors.

Flash Point: >100° C (>212° F)

Method: Open cup

Flammability Limits:

Lower Explosion Limits: 2.6%

Upper Explosion Limits: 12.6%

Autoignition Temperature: 371° C (700° F)

Hazardous Combustion Products: Toxic fumes of: carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: May react violently with: oxidizers

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Carbon dioxide Alcohol foam. Dry chemical. Water.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Dike large spills to keep spilled material from entering sewage and drainage systems or bodies of water.

Clean-up Technique: Absorb spilled liquid with non-reactive sorbent material. Sweep up material. Place material in a plastic bag. Mark bag 'Non-hazardous trash', and dispose of as normal refuse. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat Keep away from: oxidizers

Flammability Class: Class IIIB

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes Wash thoroughly after handling. Protect from: heat Keep away from: oxidizers

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Mild hydrocarbon

pH: 6.1

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 188° C (370° F)

Melting Point: Not determined

Specific Gravity (water = 1): 1.032

Evaporation Rate (water = 1): 0.01

Volatile Organic Compounds Content: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures

Reactivity / Incompatibility: May react violently in contact with: oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic fumes of carbon monoxide and carbon dioxide.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: Propylene Glycol: rabbit LD50 = 20.8 g/kg

Skin and Eye Irritation Data: Propylene Glycol: Skin human 500 mg/7D - MILD; Eye rabbit 500 mg/24H - MILD

Mutation Data: Propylene Glycol: Cytogenetic analysis, DNA inhibition mouse - subcutaneous - 8000 mg/kg

Reproductive Effects Data: Propylene Glycol: Intraperitoneal mouse TDLo = 100 gm/kg -fetotoxicity, post implantation mortality

Ingredient Toxicological Data: Propylene Glycol: Oral rat LD50 = 20 g/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: WARNING - This product contains a chemical known to the State of California to cause cancer.

Identification of Prop. 65 Ingredient(s): Phenolphthalein

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Indicator for pH

References: Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Technical Judgment.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2005

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00503

MATERIAL SAFETY DATA SHEET

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Nessler Reagent
Catalog Number: 2119432

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00503
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Causes severe burns. Poison. Cumulative poison. Experimental teratogen.
Date of MSDS Preparation:
Day: 13
Month: 12
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Sodium Hydroxide

CAS No.: 1310732
TSCA CAS Number: 1310-73-2
Percent Range: 10.0 - 20.0
Percent Range Units: weight / weight
LD50: Oral rat LDLo = 500 mg/kg.
LC50: None reported
TLV: 2 mg/m³
PEL: 2 mg/m³
Hazard: Causes severe burns. Toxic.

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 70.0 - 80.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Other component

CAS No.: Not applicable
TSCA CAS Number: Not applicable
Percent Range: < 1.0
Percent Range Units: weight / weight
LD50: Not applicable
LC50: Not applicable
TLV: Not established

PEL: Not established

Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

Mercuric Iodide

CAS No.: 7774290

TSCA CAS Number: 7774-29-0

Percent Range: 5.0 - 10.0

Percent Range Units: weight / weight

LD50: Oral rat LD50 = 18 mg/kg

LC50: None reported

TLV: 0.1 mg(Hg)/m³ (skin)

PEL: 0.1 mg(Hg)/m³ (skin)

Hazard: Poison. Cumulative poison. Experimental teratogen. Causes burns.

Sodium Iodide

CAS No.: 7684825

TSCA CAS Number: 7681-82-5

Percent Range: 5.0 - 10.0

Percent Range Units: weight / weight

LD50: Oral rat LD50 = 4340 mg/kg

LC50: None reported

TLV: Not established

PEL: Not established

Hazard: Causes moderate eye irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, yellow liquid

Odor: Not determined

MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN CAUSES SEVERE BURNS HARMFUL IF INHALED

CAN CAUSE KIDNEY AND CENTRAL NERVOUS SYSTEM EFFECTS

HMIS:

Health: 3

Flammability: 0

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 0

Reactivity: 1

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes eye burns.

Skin Contact: Causes burns.

Skin Absorption: Harmful if absorbed through the skin Effects similar to those of ingestion

Target Organs: Central nervous system Kidneys

Ingestion: May cause: abdominal pain nausea vomiting diarrhea shock loosening of the teeth toxic nephritis (inflammation of the kidneys) liver damage kidney damage collapse death burns of the mouth and esophagus

Target Organs: Central nervous system Liver Kidneys

Inhalation: May cause: mouth soreness nausea, vomiting abdominal pain diarrhea headache muscular twitching central nervous system effects liver damage kidney damage loosening of the teeth

Target Organs: Central nervous system Kidneys Liver

Medical Conditions Aggravated: Allergies or sensitivity to mercury. Pre-existing: Eye conditions Skin conditions Respiratory conditions Liver conditions Kidney conditions Central nervous system diseases

Chronic Effects: Mercury is a general protoplasmic poison; it circulates in the blood and is stored in the liver, kidneys, spleen and bones. Main symptoms are sore mouth, tremors and psychic disturbances. Iodines overdose, 'iodism', may

cause skin rash, runny nose, headaches, fever and bronchitis. Chronic overexposure may cause central nervous system effects brain damage kidney damage liver damage

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental teratogen.
Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not available

Hazardous Combustion Products: Toxic fumes of: mercury sodium oxides iodine compounds

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Releases of this material may contaminate the environment. Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

Clean-up Technique: Mercury and its compounds are extremely toxic! Avoid breathing spilled material. Avoid contact with spilled material. Absorb spilled liquid with non-reactive sorbent material. Sweep up material. Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate area with commercially available mercury absorbing compounds.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste. Product is regulated as a hazardous water pollutant.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: 154

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: acids organic material ammonia Protect from: light heat freezing
Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have a safety shower nearby. Have an eyewash station nearby. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product. Maintain general industrial hygiene practices when using this product. Use a fume hood to avoid exposure to dust, mist or vapor.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: neoprene latex gloves lab coat

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: light heat freezing Keep away from: acids/acid fumes ammonia organic materials

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, yellow liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Not determined

pH: 12.1

Vapor Pressure: Not available

Vapor Density (air = 1): Not available

Boiling Point: 110 C decomposes

Melting Point: Not available

Specific Gravity (water = 1): 1.265

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Not determined

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Exposure to light or contamination by organic materials will affect this product's stability. Extreme temperatures

Reactivity / Incompatibility: Incompatible with: acids oxidizers organic materials ammonia

Hazardous Decomposition: Toxic fumes of: mercury iodine compounds

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: Mercuric Iodide Skin rat LD50 = 75 mg/kg

Skin and Eye Irritation Data: None reported

Mutation Data: None reported

Reproductive Effects Data: Mercuric Iodide Inhalation rat TCLo = 4870 ng/m³/24H - female 1-22 days after conception - post-implantation mortality

Ingredient Toxicological Data: Mercuric Iodide Oral rat LD50 = 18 mg/kg; Sodium Hydroxide Oral rat LDLo = 500 mg/kg; Sodium Iodide Oral rat LD50 = 4340 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002; D009

Special Instructions (Disposal): Decontaminate any equipment or surfaces that have come in contact with mercury with commercially available mercury absorbing compounds. Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S.
(Mercuric Iodide/Sodium Hydroxide Solution)

DOT Hazard Class: 8

DOT Subsidiary Risk: 6.1

DOT ID Number: UN2922

DOT Packing Group: II

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S.
(Mercuric Iodide/Sodium Hydroxide Solution)

ICAO Hazard Class: 8

ICAO Subsidiary Risk: 6.1

ICAO ID Number: UN2922

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S.
(Mercuric Iodide/Sodium Hydroxide Solution)

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: 6.1

I.M.O. ID Number: UN2922

I.M.O. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Mercuric Iodide

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Sodium Hydroxide 1000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Sodium Hydroxide - RQ = 1000 lbs. (454 kgs.)

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: The label for this product bears the signal word "POISON" because the concentration of Sodium Hydroxide in the product is greater than/equal to 10%.

State Regulations:

California Prop. 65: WARNING - This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Identification of Prop. 65 Ingredient(s): Mercuric Iodide

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Determination of ammonium nitrogen

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Vendor Information. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. In-house information. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00385

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Wide Range 4 pH Indicator Solution
Catalog Number: 2329332

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00385
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Flammable. Causes irritation.
Date of MSDS Preparation:
Day: 23
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 45.0 - 55.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Other components, each

CAS No.: Not applicable
TSCA CAS Number: Not applicable
Percent Range: < 0.1
Percent Range Units: weight / weight
LD50: Not applicable
LC50: Not applicable
TLV: Not established
PEL: Not established
Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

Isopropanol

CAS No.: 67630
TSCA CAS Number: 67-63-0
Percent Range: 45.0 - 55.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 5045 mg/kg Oral Human LDLo = 2770 mg/kg
LC50: Inhalation rat LCLo = 12000 ppm/8hr

TLV: 400 ppm (500 ppm STEL)
PEL: 400 ppm
Hazard: Flammable. Causes moderate eye irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Dark green liquid

Odor: Alcoholic

MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION

FLAMMABLE LIQUID AND VAPOR

HMIS:

Health: 1

Flammability: 4

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1

Flammability: 3

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes moderate irritation

Skin Contact: May cause irritation

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: May cause: drowsiness dizziness incoordination giddiness depression headache abdominal pain nausea vomiting diarrhea blood pressure changes rapid pulse and respirations respiratory arrest coma death

Target Organs: Central nervous system

Inhalation: May cause: respiratory tract irritation Effects similar to those of ingestion.

Target Organs: Central nervous system

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

Chronic Effects: No effects anticipated

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Flammable Liquid

Flash Point: 21°C; 70°F

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not available

Upper Explosion Limits: Not available

Autoignition Temperature: Not available

Hazardous Combustion Products: Toxic fumes of: carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: Flammable Liquid Do not expose to sparks or other ignition sources. May react violently with: strong oxidizers

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Water. Dry chemical. Alcohol foam. Carbon dioxide

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Containers can build up pressure if exposed to heat.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Remove all combustible material from spill area. Remove all ignition and spark-creating sources from the spill area. Cover spilled liquid with a commercially available flammable liquid sorbent such as vapor barrier blanket or activated carbon to avoid evolution of fumes. Vapors may travel to a source of ignition and flash back. May be ignited by: heat, sparks, or flames. Dike the material to create a barrier to combustibles.

Clean-up Technique: Eliminate all sources of ignition. Do not breathe the fumes. Cover with an inert material, such as sand. Use only non-sparking tools. Sweep up material. Incinerate material at an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: 129

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store away from: oxidizers sparks, flames and other ignition sources Protect from: heat Store between 10° and 25°C.

Flammability Class: Class IB

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: heat sparks, flames and other ignition sources Keep away from: oxidizers

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Dark green liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Alcoholic

pH: 8.7

Vapor Pressure: Not available

Vapor Density (air = 1): Not available

Boiling Point: 79°C; 174°F

Melting Point: -26°C; -15°F
Specific Gravity (water = 1): 0.922
Evaporation Rate (water = 1): 5.45
Volatile Organic Compounds Content: Not available
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
 Water: Miscible
 Acid: Miscible
 Other: Not determined
Metal Corrosivity:
 Steel: 0.003 in/yr
 Aluminum: 0.000 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Contact with heat, sparks, open flames or other ignition sources. Extreme temperatures
Reactivity / Incompatibility: Incompatible with: oxidizers potassium-tert-butoxide cobalt chloride nitro compounds oleum
Hazardous Decomposition: Heating to decomposition releases toxic fumes of carbon monoxide and carbon dioxide.
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
 LD50: None reported
 LC50: None reported
 Dermal Toxicity Data: Isopropanol Skin rabbit LD50 = 12800 mg/kg
 Skin and Eye Irritation Data: Isopropanol - Skin rabbit 500 mg MILD; Eye rabbit 100 mg/24 H MODERATE
 Mutation Data: Isopropanol - Cytogenetic analysis, rat, inhalation, 1030 µg/m³/16W (intermittent)
 Reproductive Effects Data: Isopropanol - Oral rat TDLo = 11340 mg/kg - Maternal effects - menstrual cycle changes or disorders; Oral rat TDLo 5040 mg/kg - Litter size
Ingredient Toxicological Data: Isopropanol Oral rat LD50 = 5045 mg/kg; Isopropanol Inhalation rat LCLo = 12000 ppm/8H

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D001
Special Instructions (Disposal): Incinerate material at an E.P.A. approved hazardous waste facility.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:
 D.O.T. Proper Shipping Name: Isopropanol Solution
 --
 DOT Hazard Class: 3
 DOT Subsidiary Risk: NA
 DOT ID Number: UN1219
 DOT Packing Group: II

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Isopropanol Solution

--

ICAO Hazard Class: 3

ICAO Subsidiary Risk: NA

ICAO ID Number: UN1219

ICAO Packing Group: 11

I.M.O.:

I.M.O. Proper Shipping Name: Isopropanol Solution

--

I.M.O. Hazard Class: 3

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: UN1219

I.M.O. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Fire Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Indicator for pH

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Vendor Information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable

w/w - weight/weight

ND - Not Determined

w/v - weight/volume

NV - Not Available

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00371

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Sodium Thiosulfate Standard Solution, Stabilized, 0.0109 N
Catalog Number: 2408932

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00371
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: May cause irritation.
Date of MSDS Preparation:
Day: 23
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Propylene Glycol

CAS No.: 57556
TSCA CAS Number: 57-55-6
Percent Range: 20.0 - 30.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 20 g/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 70.0 - 80.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Sodium Thiosulfate

CAS No.: 10102-17-7
TSCA CAS Number: 7772-98-7
Percent Range: < 1.0
Percent Range Units: weight / volume
LD50: Oral rat LD50 > 8 gm/kg
LC50: None reported
TLV: Not established

PEL: Not established
Hazard: May cause irritation.

Sodium Sulfate

CAS No.: 7757836
TSCA CAS Number: 7757-82-6
Percent Range: 1.0 - 5.0
Percent Range Units: weight / volume
LD50: Oral mouse LD50 = 5989 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid
Odor: Sweet
MAY CAUSE EYE AND SKIN IRRITATION

HMIS:

Health: 1
Flammability: 0
Reactivity: 0
Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1
Flammability: 0
Reactivity: 0
Symbol: Not applicable

Potential Health Effects:

Eye Contact: May cause irritation
Skin Contact: May cause irritation
Skin Absorption: No effects anticipated
Target Organs: Not applicable
Ingestion: Very large doses may cause: central nervous system depression kidney damage rapid pulse and respirations
Target Organs: None reported
Inhalation: No effects anticipated
Target Organs: Not applicable
Medical Conditions Aggravated: None reported
Chronic Effects: None reported
Cancer / Reproductive Toxicity Information:
This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported
Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, this product decomposes to form toxic gases.

Flash Point: > 100°C (212°F)

Method: Open cup

Flammability Limits:

Lower Explosion Limits: Not determined

Upper Explosion Limits: Not determined

Autoignition Temperature: Not determined

Hazardous Combustion Products: Toxic fumes of: sodium oxides carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Absorb spilled liquid with non-reactive sorbent material. Sweep up material. Place material in a plastic bag. Mark bag 'Non-hazardous trash', and dispose of as normal refuse. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: oxidizers

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Do not breathe: mist/vapor Wash thoroughly after handling.

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Sweet
pH: 9.9
Vapor Pressure: Not determined
Vapor Density (air = 1): Not determined
Boiling Point: 99°C (210°F)
Melting Point: -5°C (23°F)
Specific Gravity (water = 1): 1.05
Evaporation Rate (water = 1): 0.91
Volatile Organic Compounds Content: Not applicable
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
Water: Soluble
Acid: Soluble
Other: Not determined
Metal Corrosivity:
Steel: 0.006 in/yr
Aluminum: 0.003 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Heat Evaporation
Reactivity / Incompatibility: Incompatible with: oxidizers
Hazardous Decomposition: Toxic fumes of: sodium oxides carbon monoxide carbon dioxide
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: None reported
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: None reported
Reproductive Effects Data: None reported
Ingredient Toxicological Data: Propylene Glycol: Oral rat LD50 = 20 g/kg, Sodium Sulfate: Oral mouse LD50 = 5989 mg/kg, Sodium Thiosulfate: Oral rat LD50 > 8 g/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None
Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:
D.O.T. Proper Shipping Name: Not Currently Regulated

--
DOT Hazard Class: NA
DOT Subsidiary Risk: NA
DOT ID Number: NA
DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--
ICAO Hazard Class: NA
ICAO Subsidiary Risk: NA
ICAO ID Number: NA
ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--
I.M.O. Hazard Class: NA
I.M.O. Subsidiary Risk: NA
I.M.O. ID Number: NA
I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--
302 (EHS) TPQ (40 CFR 355): Not applicable
304 CERCLA RQ (40 CFR 302.4): Not applicable
304 EHS RQ (40 CFR 355): Not applicable
Clean Water Act (40 CFR 116.4): Not applicable
RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Titrant solution

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable

w/w - weight/weight

ND - Not Determined
NV - Not Available

w/v - weight/volume
v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01497

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Sulfuric Acid Standard Solution, 0.030 N
Catalog Number: 2620532

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M01497
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: No effects anticipated.
Date of MSDS Preparation:
Day: 24
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Propylene Glycol

CAS No.: 57556
TSCA CAS Number: 57-55-6
Percent Range: < 0.1
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 20 g/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 90.0 - 100.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Sulfuric Acid

CAS No.: 7664999
TSCA CAS Number: 7664-93-9
Percent Range: < 1.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 2140 mg/kg.
LC50: Inhalation rat LC50 = 87 ppm/4 hr
TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL)

PEL: 1 mg/m³

Hazard: Causes severe burns. Harmful if inhaled. Recognized carcinogen.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid

Odor: None

MAY CAUSE EYE IRRITATION

HMIS:

Health: 1

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1

Flammability: 0

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: May cause irritation

Skin Contact: No effects are anticipated

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: Very large doses may cause: central nervous system depression rapid pulse and respirations sweating

Target Organs: Not applicable

Inhalation: No effects anticipated

Target Organs: Not applicable

Medical Conditions Aggravated: None reported

Chronic Effects: No effects anticipated

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician if irritation develops.

Skin Contact (First Aid): Wash skin with plenty of water.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Can burn in fire, releasing toxic vapors.

Flash Point: >200 °F

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Hazardous Combustion Products: carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Adjust to a pH between 6 and 9. Use sulfuric or citric acid to lower pH. Use soda ash or sodium bicarbonate to increase pH. Absorb spilled liquid with non-reactive sorbent material. Mark bag 'Non-hazardous trash', and dispose of as normal refuse. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes Wash thoroughly after handling.

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

pH: 1.88

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 105 °C

Melting Point: Not determined

Specific Gravity (water = 1): 1.020

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Metal Corrosivity:

Steel: 0.045 in/yr
Aluminum: 0.026 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Not applicable
Reactivity / Incompatibility: None reported
Hazardous Decomposition: No hazardous decomposition products known.
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: None reported
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: Draize skin testing with 10% sulfuric acid = NO IRRITATION
Mutation Data: None reported
Reproductive Effects Data: None reported
Ingredient Toxicological Data: Sulfuric acid: oral rat LD50 = 2140 mg/kg, inhalation rat LC50 = 87 ppm/4H; propylene glycol oral rat = 20 g/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002
Special Instructions (Disposal): Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:
D.O.T. Proper Shipping Name: Not Currently Regulated
--
DOT Hazard Class: NA
DOT Subsidiary Risk: NA
DOT ID Number: NA
DOT Packing Group: NA
I.C.A.O.:
I.C.A.O. Proper Shipping Name: Not Currently Regulated
--
ICAO Hazard Class: NA
ICAO Subsidiary Risk: NA
ICAO ID Number: NA
ICAO Packing Group: NA
I.M.O.:
I.M.O. Proper Shipping Name: Not Currently Regulated
--
I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.

304 CERCLA RQ (40 CFR 302.4): Sulfuric Acid 1000 lbs.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Sulfuric acid - RQ 1000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Standard solution

References: Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Vendor Information. Technical Judgment.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable w/w - weight/weight

ND - Not Determined w/v - weight/volume

NV - Not Available v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00609

MATERIAL SAFETY DATA SHEET

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Silver Nitrate Solution
Catalog Number: 39732

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00609
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: May cause irritation.
Date of MSDS Preparation:
Day: 23
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Isopropanol

CAS No.: 67630
TSCA CAS Number: 67-63-0
Percent Range: 1.0 - 5.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 5045 mg/kg Oral Human LDLo = 2770 mg/kg
LC50: Inhalation rat LCLo = 12000 ppm/8hr
TLV: 400 ppm (500 ppm STEL)
PEL: 400 ppm
Hazard: Flammable. Causes moderate eye irritation.

Silver Nitrate

CAS No.: 7764888
TSCA CAS Number: 7761-88-8
Percent Range: 1.0 - 5.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 1173 mg/kg; Oral mouse LD50 = 50 mg/kg; Oral guinea pig LD50 = 473 mg/kg
LC50: None reported.
TLV: 0.01 mg/m³ as Ag
PEL: 0.01 mg/m³ as Ag
Hazard: Highly toxic. Causes burns. Oxidizer.

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 90.0 - 100.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established

PEL: Not established
Hazard: No effects anticipated.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid

Odor: Odorless

MAY CAUSE EYE IRRITATION

HMIS:

Health: 1

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1

Flammability: 0

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: May cause irritation

Skin Contact: None reported

Skin Absorption: Will be absorbed through the skin. May cause a slate-gray to bluish discoloration.

Target Organs: None reported

Ingestion: May cause: nausea abdominal cramps

Target Organs: None reported

Inhalation: No effects anticipated

Target Organs: Not applicable

Medical Conditions Aggravated: Pre-existing: Skin conditions Eye conditions

Chronic Effects: Silver compounds may cause gray to black discoloration of the eyes and skin. Chronic overexposure may cause accumulation of silver in body tissues which causes a slate-gray to bluish discoloration.

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

An ingredient of this mixture is: IARC Group 3: Non-classifiable

Isopropanol

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen. an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, this product decomposes to form toxic gases.

Flash Point: >95°C; >203°F

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Hazardous Combustion Products: Toxic fumes of: silver oxides carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: Drying to completion may form explosive products.

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment. Absorb spilled liquid with non-reactive sorbent material.

Clean-up Technique: Absorb spilled liquid with non-reactive sorbent material. Sweep up material. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste. Mixture contains a component which is regulated as a water pollutant.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: exposure to direct sunlight. Do not allow product to dry out.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: heat light

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Odorless

pH: 4.9

Vapor Pressure: Not available

Vapor Density (air = 1): Not available

Boiling Point: >96°C; 205°C

Melting Point: Not available

Specific Gravity (water = 1): 0.993

Evaporation Rate (water = 1): 1.15

Volatile Organic Compounds Content: Not available

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Heat Evaporation Exposure to direct sunlight.

Reactivity / Incompatibility: None reported

Hazardous Decomposition: None reported

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: Isopropanol: Skin rabbit LD50 = 12800 mg/kg

Skin and Eye Irritation Data: Isopropanol: Skin rabbit 500 mg - MILD, Eye rabbit 100 mg/24H - MODERATE; Silver Nitrate Eye rabbit 10 mg - MODERATE

Mutation Data: Silver Nitrate: DNA inhibition in human lymphocytes @ 76 µmol/l, Oncogenic transformation in hamster embryo @ 60 µmol/l; Isopropanol: Cytogenetic analysis rat inhalation 1030 µg/m³/16W (Intermittent)

Reproductive Effects Data: Isopropanol: Oral rat TDLo = 11340 mg/kg - maternal effects - menstrual cycle changes or disorders; Oral rat TDLo = 5040 mg/kg - Litter size; Oral rat TDLo = 20160 mg/kg - Pre-implantation mortality

Ingredient Toxicological Data: Isopropyl Alcohol: Oral rat LD₅₀ = 5045 mg/kg, Oral human LD_{Lo} = 2770 mg/kg, Inhalation rat LCLo = 12000 ppm/8H; Silver Nitrate: Oral mouse LD₅₀ = 50 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Isopropanol: Goldfish LD50 = 5,000 mg/L/24 hr, Brown Shrimp LC50 = 1,400 mg/L/48 hr, Fathead Minnows LC50 = 11,160 mg/L/24 hr; Silver Nitrate: Rainbow Trout LC50 = 10 µg/l/28 days; Largemouth Bass LC50 = 110 µg/l/8 days

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D011

Special Instructions (Disposal): Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Silver Nitrate

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Silver nitrate: 1 lb.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Silver Nitrate - RQ = 1 lb. (0.454 kg)

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Titrant solution

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada; 30 June 1993. Vendor Information. In-house information. Technical Judgment.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00305

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Buffer Solution Hardness 1 pH 10.1 ± 0.1
Catalog Number: 42432

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00305
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Causes eye burns. May cause irritation.
Date of MSDS Preparation:
Day: 11
Month: 05
Year: 2006

2. COMPOSITION / INFORMATION ON INGREDIENTS

Acetic Acid

CAS No.: 64197
TSCA CAS Number: 64-19-7
Percent Range: 1.0 - 10.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 3310 mg/kg
LC50: Human TLo = 816 ppm / 3 minutes (Irritant) ; Mouse LC50 = 5620 ppm / 1 hour
TLV: 10 ppm (15 ppm STEL)
PEL: 10 ppm
Hazard: Flammable. Causes severe burns.

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 35.0 - 45.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Other component

CAS No.: Not applicable
TSCA CAS Number: Not applicable
Percent Range: < 1.0
Percent Range Units: volume / volume
LD50: Not applicable
LC50: Not applicable
TLV: Not established

PEL: Not established

Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

Aminomethylpropanol

CAS No.: 124-68-5

TSCA CAS Number: 124-685

Percent Range: 50.0 - 60.0

Percent Range Units: volume / volume

LD50: Oral rat LD50 = 2900 mg/kg

LC50: None reported

TLV: Not established

PEL: Not established

Hazard: Causes burns. Combustible.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, yellow liquid

Odor: Vinegar

CAUSES EYE BURNS HARMFUL IF ABSORBED THROUGH SKIN MAY CAUSE RESPIRATORY TRACT IRRITATION

HMIS:

Health: 2

Flammability: 1

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 1

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes eye burns.

Skin Contact: Causes mild irritation

Skin Absorption: Will be absorbed through the skin.

Target Organs: None reported

Ingestion: May cause: abdominal pain

Target Organs: None reported

Inhalation: May cause: respiratory tract irritation

Target Organs: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Can burn in fire, releasing toxic vapors.

Flash Point: >97.2°C (>207°F)

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not determined

Upper Explosion Limits: Not determined

Autoignition Temperature: Not determined

Hazardous Combustion Products: Toxic fumes of: nitrogen oxides, carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: May react violently with: strong oxidizers

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Water. Dry chemical. Carbon dioxide. Alcohol foam.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Dike large spills to keep spilled material from entering sewage and drainage systems or bodies of water.

Clean-up Technique: Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Mixture contains a component which is regulated as a water pollutant.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store away from: oxidizers Protect from: heat

Flammability Class: Class IIIB

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: lab coat disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Keep away from: oxidizers

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, yellow liquid

Physical State: Liquid
Molecular Weight: Not applicable
Odor: Vinegar
pH: of 2% solution = 10.0
Vapor Pressure: Not determined
Vapor Density (air = 1): Not determined
Boiling Point: 104.5°C (220°F)
Melting Point: Not determined
Specific Gravity (water = 1): 1.033
Evaporation Rate (water = 1): 0.36
Volatile Organic Compounds Content: Not determined
Partition Coefficient (n-octanol / water): Not determined
Solubility:
 Water: Soluble
 Acid: Soluble
 Other: Not determined
Metal Corrosivity:
 Steel: 0.002 in/yr
 Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Extreme temperatures
Reactivity / Incompatibility: May react violently in contact with: oxidizers
Hazardous Decomposition: Toxic fumes of: nitrogen oxides carbon dioxide carbon monoxide
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
 LD50: None reported
 LC50: None reported
 Dermal Toxicity Data: None reported
 Skin and Eye Irritation Data: Aminomethylpropanol: Skin at 1 hour exposure: erythema score of 1 @ 1 hour, edema score of 0.67 @ 1 hour - MILD; Skin at 4 hours exposure: erythema score of 1.33 @ 1 hour, edema score of 1.67 @ 1 hour - MILD
 Mutation Data: Acetic Acid: Human sister chromatid exchange in Lymphocytes at 5 mmol/l
 Reproductive Effects Data: None reported
Ingredient Toxicological Data: Aminomethylpropanol: Oral rat LD50 = 2900 mg/kg; Acetic Acid: Oral rat LD50 = 3310 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None
Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Acetic acid 5000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Acetic acid - RQ 5000 lbs.

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Hardness determination

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Technical

Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00635

MATERIAL SAFETY DATA SHEET

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ManVer ® Hardness Indicator
Catalog Number: 42532

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00635
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Causes irritation. Flammable. May cause allergic reaction.
Date of MSDS Preparation:
Day: 23
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Propylene Glycol

CAS No.: 57556
TSCA CAS Number: 57-55-6
Percent Range: 90.0 - 100.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 20 g/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Hydroxylamine Hydrochloride

CAS No.: 5470141
TSCA CAS Number: 5470-11-1
Percent Range: 1.0 - 10.0
Percent Range Units: weight / volume
LD50: Oral mouse LD50 = 408 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Toxic. Causes irritation. May cause allergic reaction.

Isopropanol

CAS No.: 67630
TSCA CAS Number: 67-63-0
Percent Range: < 5.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 5045 mg/kg Oral Human LDLo = 2770 mg/kg
LC50: Inhalation rat LCLo = 12000 ppm/8hr
TLV: 400 ppm (500 ppm STEL)

PEL: 400 ppm
Hazard: Flammable. Causes moderate eye irritation.

Calmagite

CAS No.: 3147146
TSCA CAS Number: 3147-14-6
Percent Range: < 1.0
Percent Range Units: weight / volume
LD50: Oral rat LD50 > 5000 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Dark red liquid

Odor: Fruity

HARMFUL IF SWALLOWED CAUSES EYE IRRITATION MAY CAUSE SKIN IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION
FLAMMABLE

HMIS:

Health: 2

Flammability: 2

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 2

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes irritation

Skin Contact: May cause irritation May cause allergic reaction

Skin Absorption: Will be absorbed through the skin. Effects similar to those of ingestion

Target Organs: Central nervous system Red blood cells

Ingestion: Very large doses may cause: central nervous system depression drowsiness dizziness incoordination headache abdominal cramps rapid pulse and respirations convulsions Hydroxylamine Hydrochloride causes a decreased supply of oxygen to the tissues, blue discoloration of the skin, convulsions, drop in blood pressure and coma.

Target Organs: Central nervous system Red blood cells

Inhalation: May cause: irritation of nose and throat

Target Organs: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

Chronic Effects: Chronic overexposure may cause damage to red blood cells

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen. an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.
Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.
Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Combustion generates toxic fumes.
Flash Point: 25.7°C (78.3°F)
Method: Closed cup
Flammability Limits:
 Lower Explosion Limits: Not determined
 Upper Explosion Limits: Not determined
Autoignition Temperature: Not determined
Hazardous Combustion Products: Toxic fumes of: chlorides carbon monoxide, carbon dioxide.
Fire / Explosion Hazards: May react violently with: strong oxidizers Do not expose to sparks or other ignition sources.
 Static Discharge: None reported.
 Mechanical Impact: None reported
Extinguishing Media: Alcohol foam.
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:
Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.
Containment Technique: Releases of this material may contaminate the environment. Remove all combustible material from spill area. Remove all ignition and spark-creating sources from the spill area. Cover spilled liquid with a commercially available flammable liquid sorbent such as vapor barrier blanket or activated carbon to avoid evolution of fumes. Vapors may travel to a source of ignition and flash back. May be ignited by: heat, sparks, or flames. Dike the material to create a barrier to combustibles.
Clean-up Technique: Eliminate all sources of ignition. Do not breathe the fumes. Use only non-sparking tools. Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Filter to remove solids. Flush the spilled material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.
Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.
Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste.
304 EHS RQ (40 CFR 355): Not applicable
D.O.T. Emergency Response Guide Number: 132

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Keep away from: oxidizers Protect from: sparks, flames and other ignition sources
 Flammability Class: Class IC

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.
Personal Protective Equipment:
 Eye Protection: safety glasses with top and side shields
 Skin Protection: disposable latex gloves lab coat
 Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Keep away from: oxidizers Protect from: sparks, flames and other ignition sources

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Dark red liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Fruity

pH: 1.09

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 118°C

Melting Point: Not determined

Specific Gravity (water = 1): 1.01

Evaporation Rate (water = 1): 0.05

Volatile Organic Compounds Content: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: 0.288 in/yr

Aluminum: 0.001 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Contact with heat, sparks, open flames or other ignition sources. Heating to decomposition.

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: Toxic fumes of: chlorides carbon monoxide carbon dioxide

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: Data reported in RTECS for Isopropanol, Propylene Glycol and Hydroxylamine Hydrochloride

Reproductive Effects Data: Data reported in RTECS for Isopropanol

Ingredient Toxicological Data: Hydroxylamine Hydrochloride: Oral mouse LD₅₀ = 400 mg/kg, Oral mouse LD₅₀ = 408 mg/kg; Propylene Glycol: Oral rat LD₅₀ = 20 g/kg; Isopropanol: Oral human LD_{Lo} = 2770 mg/kg, Oral rat LD₅₀ = 5045 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D001, D002

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Flammable Liquid, Corrosive, N.O.S.
(<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

DOT Hazard Class: 3

DOT Subsidiary Risk: 8

DOT ID Number: UN2924

DOT Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

ICAO Hazard Class: 3

ICAO Subsidiary Risk: 8

ICAO ID Number: UN2924

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

I.M.O. Hazard Class: 3

I.M.O. Subsidiary Risk: 8

I.M.O. ID Number: UN2924

I.M.O. Packing Group: III

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Fire Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Indicator for hardness

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information. Technical Judgment.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00582

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Titrant Solution Hardness 3 0.015 M EDTA
Catalog Number: 42632

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00582
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: No effects anticipated.
Date of MSDS Preparation:
Day: 23
Month: 09
Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Propylene Glycol

CAS No.: 57556
TSCA CAS Number: 57-55-6
Percent Range: 20.0 - 30.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 20 g/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 70.0 - 80.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Other components, each

CAS No.: Not applicable
TSCA CAS Number: Not applicable
Percent Range: < 1.0
Percent Range Units: weight / volume
LD50: Not applicable
LC50: Not applicable
TLV: Not established

PEL: Not established

Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid

Odor: None

HMIS:

Health: 0

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 0

Flammability: 0

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: No effects are anticipated

Skin Contact: No effects are anticipated

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: No Effects Anticipated

Target Organs: Not applicable

Inhalation: No effects anticipated

Target Organs: Not applicable

Medical Conditions Aggravated: None reported

Chronic Effects: No effects anticipated

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Flush eyes with water. Call physician if irritation develops.

Skin Contact (First Aid): Wash skin with plenty of water.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Hazardous Combustion Products: This material will not burn.

Fire / Explosion Hazards: This product will not burn or explode.

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Absorb spilled liquid with non-reactive sorbent material. Mark bag 'Non-hazardous trash', and dispose of as normal refuse. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: Not applicable

Inhalation Protection: adequate ventilation

Precautionary Measures: Wash thoroughly after handling.

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

pH: 5.0

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: > 100° C (>212° F)

Melting Point: Not determined

Specific Gravity (water = 1): 1.026

Evaporation Rate (water = 1): 0.63

Volatile Organic Compounds Content: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: Not determined
Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Not applicable
Reactivity / Incompatibility: None reported
Hazardous Decomposition: No hazardous decomposition products known.
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: None reported
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: Propylene Glycol: Cytogenetic analysis, DNA inhibition mouse - subcutaneous - 8000 mg/kg
Reproductive Effects Data: Propylene Glycol: Intraperitoneal mouse TDLo = 100 mg/kg -fetotoxicity, post implantation mortality
Ingredient Toxicological Data: Propylene Glycol: Oral rat LD50 = 20 g/kg; Dermal rabbit LD50 = 20.8 g/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None
Special Instructions (Disposal): Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:
D.O.T. Proper Shipping Name: Not Currently Regulated
--
DOT Hazard Class: NA
DOT Subsidiary Risk: NA
DOT ID Number: NA
DOT Packing Group: NA
I.C.A.O.:
I.C.A.O. Proper Shipping Name: Not Currently Regulated
--
ICAO Hazard Class: NA
ICAO Subsidiary Risk: NA
ICAO ID Number: NA
ICAO Packing Group: NA
I.M.O.:
I.M.O. Proper Shipping Name: Not Currently Regulated
--
I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product does not meet the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): This product is not hazardous under 29 CFR.1910.1200 and therefore is not covered by Title III under SARA.

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--
302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: TSCA Listed: Yes

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Hardness determination

References: Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Vendor Information. Technical Judgment.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable w/w - weight/weight

ND - Not Determined w/v - weight/volume

NV - Not Available v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00648

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Sodium Hydroxide Standard Solution 0.01 N
Catalog Number: 67132

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00648
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Causes eye burns.
Date of MSDS Preparation:
Day: 25
Month: October
Year: 2005

2. COMPOSITION / INFORMATION ON INGREDIENTS

Sodium Hydroxide

CAS No.: 1310732
TSCA CAS Number: 1310-73-2
Percent Range: < 1.0
Percent Range Units: weight / volume
LD50: Oral rat LDLo = 500 mg/kg.
LC50: None reported
TLV: 2 mg/m³
PEL: 2 mg/m³
Hazard: Causes severe burns. Toxic.

Demineralized Water

CAS No.: 7732185
TSCA CAS Number: 7732-18-5
Percent Range: 90.0 - 100.0
Percent Range Units: volume / volume
LD50: None reported
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Isopropanol

CAS No.: 67630
TSCA CAS Number: 67-63-0
Percent Range: 1.0 - 10.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 5045 mg/kg Oral Human LDLo = 2770 mg/kg
LC50: Inhalation rat LCLo = 12000 ppm/8hr
TLV: 400 ppm (500 ppm STEL)

PEL: 400 ppm

Hazard: Flammable. Causes moderate eye irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Clear, colorless liquid

Odor: None

CAUSES EYE BURNS

COMBUSTIBLE LIQUID AND VAPOR

HMIS:

Health: 3

Flammability: 2

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 2

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes eye burns.

Skin Contact: None reported

Skin Absorption: Will be absorbed through the skin. No effects anticipated

Target Organs: None reported

Ingestion: May cause: abdominal cramps nausea

Target Organs: None reported

Inhalation: No effects anticipated

Target Organs: Not applicable

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

Inhalation: None required.

5. FIRE FIGHTING MEASURES

Flammable Properties: Combustible Liquid

Flash Point: 56.7°C (134°F)

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not determined

Upper Explosion Limits: Not determined

Autoignition Temperature: Not determined

Hazardous Combustion Products: Toxic fumes of: sodium oxides carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: Combustible liquid Do not expose to flames.

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Water. Carbon dioxide Dry chemical.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Releases of this material may contaminate the environment. Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike the spill to contain material for later disposal.

Clean-up Technique: Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use. Keep away from: sparks, flames and other ignition sources

Protect from: acids

Flammability Class: Class II

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Wash thoroughly after handling. Keep away from: sparks, flames and other ignition sources Protect from: acids/acid fumes

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

pH: 11.7

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Boiling Point: 94°C

Melting Point: Not determined

Specific Gravity (water = 1): 0.992

Evaporation Rate (water = 1): Not determined
Volatile Organic Compounds Content: Not determined
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
Water: Soluble
Acid: Soluble
Other: Not determined
Metal Corrosivity:
Steel: 0.00 in/yr
Aluminum: 0.00 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Contact with heat, sparks, open flames or other ignition sources. Exposure to air. Evaporation
Reactivity / Incompatibility: Incompatible with: strong acids carbon dioxide contamination
Hazardous Decomposition: Toxic fumes of: sodium oxides carbon dioxide carbon monoxide
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: None reported
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: None reported
Reproductive Effects Data: Data reported in RTECS for isopropanol
Ingredient Toxicological Data: Isopropyl Alcohol: Oral rat LD₅₀ = 5045 mg/kg, Oral human LD_{Lo} = 2770 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D001
Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:
D.O.T. Proper Shipping Name: Not Currently Regulated
--
DOT Hazard Class: NA
DOT Subsidiary Risk: NA
DOT ID Number: NA
DOT Packing Group: NA
I.C.A.O.:
I.C.A.O. Proper Shipping Name: Not Currently Regulated
--
ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA
ICAO ID Number: NA
ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

I.M.O. Hazard Class: NA
I.M.O. Subsidiary Risk: NA
I.M.O. ID Number: NA
I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Fire Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains RCRA regulated substances. See Section 13. EPA Waste ID Number.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Determination of carbon dioxide

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2005

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00009

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Bromocresol Green-Methyl Red Indicator Powder
Catalog Number: 94399

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00009
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: May cause irritation.
Date of MSDS Preparation:
Day: 3
Month: 10
Year: 2005

2. COMPOSITION / INFORMATION ON INGREDIENTS

Other components, each

CAS No.: Not applicable
TSCA CAS Number: Not applicable
Percent Range: < 1.0
Percent Range Units: weight / weight
LD50: Not applicable
LC50: Not applicable
TLV: Not established
PEL: Not established
Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

Potassium Chloride

CAS No.: 7447407
TSCA CAS Number: 7447-40-7
Percent Range: >98
Percent Range Units: weight / weight
LD50: Oral rat LD₅₀ = 2600 mg/kg
LC50: None reported.
TLV: Not established.
PEL: Not established.
Hazard: May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Red-brown to green powder
Odor: None

MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION

HMIS:

Health: 1

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1

Flammability: 0

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: May cause irritation

Skin Contact: May cause irritation

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: May cause: gastrointestinal disturbances blood pressure changes cardiac depression gastroenteritis

Target Organs: None reported

Inhalation: May cause: irritation of nose and throat

Target Organs: None reported

Medical Conditions Aggravated: Pre-existing: Kidney conditions

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Does not burn, but may melt in a fire, releasing toxic fumes.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Hazardous Combustion Products: None reported

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Sweep up material. Dilute with a large excess of water. Flush the spilled material to the drain with a large excess of water.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: None

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with; eyes skin Do not breathe; dust Wash thoroughly after handling.

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Red-brown to green powder

Physical State: Solid

Molecular Weight: Not applicable

Odor: None

pH: of 5% solution = 9.0

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not applicable

Melting Point: 181°C (358°F)

Specific Gravity (water = 1): 1.91

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not determined

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Metal Corrosivity:

Steel: Not determined

Aluminum: Not determined

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures Excess moisture

Reactivity / Incompatibility: None reported

Hazardous Decomposition: Toxic fumes of: chlorides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: None reported

Reproductive Effects Data: None reported

Ingredient Toxicological Data: Potassium Chloride: Oral rat LD₅₀ = 2600 mg/kg, Oral man LD₁₀ = 20 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None

Special Instructions (Disposal): Dilute material with excess water making a weaker than 5% solution. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Indicator for pH

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2005

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00029

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Dissolved Oxygen 1 Reagent
Catalog Number: 98199

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00029

Chemical Name: Sulfuric acid, manganese(2+) salt (1:1)

CAS No.: 7785-87-7

Chemical Formula: MnSO₄

Chemical Family: Inorganic Salt

Hazard: May cause irritation. Cumulative poison. Experimental mutagen. Experimental teratogen.

Date of MSDS Preparation:

Day: 23

Month: 09

Year: 2004

2. COMPOSITION / INFORMATION ON INGREDIENTS

Manganous Sulfate

CAS No.: 7785877

TSCA CAS Number: 7785-87-7

Percent Range: 100.0

Percent Range Units: weight / weight

LD50: None reported

LC50: None reported

TLV: 0.2 mg/m³ (Mn)

PEL: Ceiling: 5 mg/m³ (Mn)

Hazard: May cause irritation. Cumulative poison. Experimental mutagen. Experimental teratogen.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Pink powder

Odor: Not determined

HARMFUL IF INHALED MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION

HMIS:

Health: 2

Flammability: 0

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 0

Reactivity: 1

Symbol: Not applicable

Potential Health Effects:

Eye Contact: May cause irritation

Skin Contact: May cause irritation

Skin Absorption: No effects anticipated

Target Organs: Not applicable

Ingestion: Very large doses may cause: gastrointestinal irritation nausea

Target Organs: None reported

Inhalation: May cause: respiratory tract irritation pneumonitis

Target Organs: Lungs

Medical Conditions Aggravated: Pre-existing: Respiratory conditions Central nervous system diseases Liver conditions

Chronic Effects: Chronic inhalation of manganese (or Mn compounds) may cause psychiatric disorders characterized by irritability, difficulty walking, speech disturbances, and compulsive behavior. If the conditions persist, manganese poisoning may cause a mask-like facial expression, symptoms similar to Parkinson's disease, and cirrhosis of the liver.

Cancer / Reproductive Toxicity Information:

O.S.H.A. Listed: No

IARC Listed: No

NTP Listed: No

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen. an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Give 1-2 glasses of water. Induce vomiting using syrup of ipecac or by sticking finger down throat. Never give anything by mouth to an unconscious person. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Hazardous Combustion Products: This material will not burn.

Fire / Explosion Hazards: None reported

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as a hazardous air pollutant.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: Not applicable

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Store at 10 - 30°C. Keep away from: oxidizers powdered metals

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. Use with adequate ventilation. Keep away from: oxidizers powdered metals

TLV: 0.2 mg/m³ (Mn)

PEL: Ceiling: 5 mg/m³ (Mn)

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Pink powder

Physical State: Solid

Molecular Weight: 151.01

Odor: Not determined

pH: 3.7 (5% sol'n)

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not determined

Melting Point: > 400°C (> 752°F)

Specific Gravity (water = 1): 3.25

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): Not applicable

Solubility:

Water: Soluble

Acid: Not determined

Other: Insoluble in alcohol

Metal Corrosivity:

Steel: Not determined

Aluminum: 0.002 in/yr (0.051 mm/yr)

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Extreme temperatures Heating to decomposition.

Reactivity / Incompatibility: Incompatible with: oxidizers powdered metals

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides manganese oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: None reported

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: None reported

Mutation Data: Oral mouse sperm morphology @ 513 mg/kg/5D (Continuous); Hamster ovary cytogenetic analysis @ 180 mg/l; Hamster ovary sister chromatid exchange @ 5 mg/l; more data reported in RTECS.

Reproductive Effects Data: Oral mouse TDLo = 513 mg/kg (Paternal effects - spermatogenesis).

Ingredient Toxicological Data: --

Not applicable

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

Not applicable

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

DOT Hazard Class: NA

DOT Subsidiary Risk: NA

DOT ID Number: NA

DOT Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

ICAO Hazard Class: NA

ICAO Subsidiary Risk: NA

ICAO ID Number: NA

ICAO Packing Group: NA

I.M.O.:

I.M.O. Proper Shipping Name: Not Currently Regulated

--

I.M.O. Hazard Class: NA

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: NA

I.M.O. Packing Group: NA

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Manganese compounds

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Manganese Compounds 1 lb.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: TSCA Listed: Yes

TSCA CAS Number: 7785-87-7

16. OTHER INFORMATION

Intended Use: Laboratory Reagent

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. Cassaret and Doull's Toxicology, 3rd Ed. New York: Macmillan Publishing Co., Inc., 1986. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Vendor Information.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2004

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00028

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Dissolved Oxygen 2 Reagent
Catalog Number: 98299

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00028
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Toxic. Causes severe burns.
Date of MSDS Preparation:
Day: 20
Month: 02
Year: 2006

2. COMPOSITION / INFORMATION ON INGREDIENTS

Potassium Iodide

CAS No.: 7681140
TSCA CAS Number: 7681-11-0
Percent Range: 30.0 - 40.0
Percent Range Units: weight / weight
LD50: Oral Mouse LD50 = 1862 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Causes irritation.

Lithium Hydroxide

CAS No.: 1310652
TSCA CAS Number: 1310-65-2
Percent Range: 55.0 - 65.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 225 mg/kg
LC50: Inhalation rat LC50 = 980 mg/m³/4H
TLV: STEL 2 mg/m³ (ceiling)
PEL: 2 mg/m³
Hazard: Toxic. Causes severe burns.

Sodium Azide

CAS No.: 26628-22-8
TSCA CAS Number: 26628-22 8
Percent Range: 1.0 - 5.0
Percent Range Units: weight / weight
LD50: Oral rat LD₅₀ = 27 mg/kg; Oral mouse LD₅₀ = 27 mg/kg.
LC50: None reported
TLV: C: 0.29 mg/m³ as Sodium azide; C 0.11 ppm as Hydrazoic acid vapor

PEL: Not established

Hazard: Highly toxic. May cause irritation. Cumulative poison. Experimental mutagen. Explosive. Contact with acid may generate toxic fumes.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: White crystals

Odor: None

CAUSES SEVERE BURNS HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN

HMIS:

Health: 3

Flammability: 1

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 1

Reactivity: 1

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes severe burns

Skin Contact: Causes severe burns

Skin Absorption: Toxic. Effects similar to those of ingestion

Target Organs: Central nervous system

Ingestion: Toxic Causes: severe burns hypotension May cause iodism, which symptoms include skin rash, conjunctivitis, runny nose, sneezing, bronchitis, headache, fever and irritation of mucous membranes. May cause: abdominal pain dizziness nausea vomiting respiratory stimulation convulsions followed by respiratory depression central nervous system effects kidney damage liver damage spleen damage lung damage coma death

Target Organs: Central nervous system Bone marrow Kidneys Liver Spleen Lungs

Inhalation: Causes: severe burns May cause: coughing shortness of breath bronchitis headache dizziness weakness respiratory stimulation convulsions followed by respiratory depression death

Target Organs: None reported

Medical Conditions Aggravated: Sodium azide produces a larger blood pressure drop in persons with high blood pressure than in persons with normal blood pressure. Pre-existing: Eye conditions Skin conditions Respiratory conditions Kidney conditions Liver conditions

Chronic Effects: Lithium compounds have been implicated in development of aplastic anemia. Signs of lithium poisoning include dehydration, extreme weight loss, fine tremor of hands, nausea, vomiting and diarrhea, Chronic overexposure may cause headache central nervous system effects kidney damage liver damage

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen. an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Does not burn, but may melt in a fire, releasing toxic fumes. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Hazardous Combustion Products: None reported

Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable. Closed containers may explode if heated.

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Carbon dioxide. Dry chemical. Water.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Avoid contact with spilled material. Sweep up material. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a weak acid solution.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Mixture contains a component which is regulated as hazardous waste.

304 EHS RQ (40 CFR 355): Sodium Azide - RQ 1000 lbs.

D.O.T. Emergency Response Guide Number: 154

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing. Do not breathe dust. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Store in a cool, dry place. Keep away from: metals acids / acid fumes.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Use a fume hood to avoid exposure to dust, mist or vapor. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing. Do not breathe: dust. Wash thoroughly after handling. Keep away from: metals acids/acid fumes

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White crystals

Physical State: Solid

Molecular Weight: Not applicable
Odor: None
pH: 12.6 (5% sol'n)
Vapor Pressure: Not applicable
Vapor Density (air = 1): Not applicable
Boiling Point: Not applicable
Melting Point: 10°C (230°F)
Specific Gravity (water = 1): 1.94
Evaporation Rate (water = 1): Not applicable
Volatile Organic Compounds Content: Not applicable
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
Water: Soluble
Acid: Not determined
Other: Not determined
Metal Corrosivity:
Steel: Not determined
Aluminum: 0.248 in/yr (6.30 mm/yr)

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Excess moisture Extreme temperatures
Reactivity / Incompatibility: May react violently in contact with: acids oxidizers
Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: iodine iodine compounds potassium oxide nitrogen oxides sodium oxides Contact with metals may release flammable hydrogen gas.
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
LD50: Oral rat LD₅₀ = 350 mg/kg
LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: Sodium Azide: DNA inhibition in human fibroblasts @ 50 mg/l; other data reported in RTECS.
Reproductive Effects Data: None reported
Ingredient Toxicological Data: Lithium Hydroxide: Oral rat LD₅₀ = 225 mg/kg. Sodium Azide: Oral rat LD₅₀ = 27 mg/kg; Dermal rabbit LD₅₀ = 20 mg/kg.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product.
Ingredient Ecological Information: --
No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002
Special Instructions (Disposal): Never put unreacted azides down the drain! Dispose of material in an E.P.A. approved hazardous waste facility.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Lithium Hydroxide Mixture

--

DOT Hazard Class: 8

DOT Subsidiary Risk: NA

DOT ID Number: UN2680

DOT Packing Group: II

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Lithium Hydroxide Mixture

--

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO ID Number: UN2680

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Lithium Hydroxide Mixture

--

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: UN2680

I.M.O. Packing Group: II

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Sodium azide

302 (EHS) TPQ (40 CFR 355): Sodium Azide 500 lbs.

304 CERCLA RQ (40 CFR 302.4): Sodium azide 1000 lbs.

304 EHS RQ (40 CFR 355): Sodium Azide - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: The label for this product bears the signal word "POISON" because the concentration of Lithium Hydroxide in the product is greater than/ equal to 10%

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Determination of dissolved oxygen

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Outside Testing. Technical Judgment.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00007

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Dissolved Oxygen 3 Reagent Powder Pillows
Catalog Number: 98768

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00007
Chemical Name: Sulfamic Acid
CAS No.: 5329-14-6
Chemical Formula: H₃NO₃S
Chemical Family: Inorganic Acid
Hazard: Causes eye burns.
Date of MSDS Preparation:
Day: 28
Month: 02
Year: 2006

2. COMPOSITION / INFORMATION ON INGREDIENTS

Sulfamic Acid

CAS No.: 5329146
TSCA CAS Number: 5329-14-6
Percent Range: > 99.0
Percent Range Units: weight / weight
LD50: Oral rat LD50 = 3160 mg/kg.
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Causes eye burns.

Other component

CAS No.: Not applicable
TSCA CAS Number: Not applicable
Percent Range: < 1.0
Percent Range Units: weight / weight
LD50: Not applicable
LC50: Not applicable
TLV: Not established
PEL: Not established
Hazard: Any ingredient(s) of this product listed as "Other component(s)" is not considered a health hazard to the user of this product.

3. HAZARDS IDENTIFICATION

Emergency Overview:
Appearance: White crystals
Odor: None
CAUSES EYE BURNS CAUSES SKIN AND RESPIRATORY TRACT IRRITATION

HMIS:

Health: 2

Flammability: 1

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 1

Reactivity: 1

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes eye burns.

Skin Contact: Causes severe irritation

Skin Absorption: None reported

Target Organs: None reported

Ingestion: May cause: irritation of the mouth and esophagus gastrointestinal irritation

Target Organs: None reported

Inhalation: May cause: irritation of nose and throat

Target Organs: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

Chronic Effects: None reported

Cancer / Reproductive Toxicity Information:

O.S.H.A. Listed: No

IARC Listed: No

NTP Listed: No

Additional Cancer / Reproductive Toxicity Information: Not applicable

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Call physician immediately.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Hazardous Combustion Products: Toxic fumes of: ammonia nitrogen oxides. sulfur oxides.

Fire / Explosion Hazards: May react violently with: chlorine / chlorine compounds metal nitrates metal nitrites nitric acid

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Dry chemical. Water.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

Clean-up Technique: Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: 154

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Maintain general industrial hygiene practices when using this product.

Storage: Store away from: oxidizers alkalis chlorine/chlorinated metals Protect from: heat moisture

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. Keep away from: alkalis metals Protect from: heat moisture

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: White crystals

Physical State: Solid

Molecular Weight: 97.10

Odor: None

pH: 1% soln = 1.18

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Boiling Point: Not applicable

Melting Point: Product decomposes at 205 °C; 401 °F

Specific Gravity (water = 1): 2.15

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Partition Coefficient (n-octanol / water): None reported

Solubility:

Water: 1:2 ratio @ 80 °C (176 °F)

Acid: Soluble

Other: Slightly soluble in alcohol, methanol.

Metal Corrosivity:

Steel: 0.814 in/yr

Aluminum: 0.212 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Conditions to Avoid: Heating to decomposition. Excess moisture

Reactivity / Incompatibility: May react violently in contact with: chlorates metal nitrates metal nitrites nitric acid

Incompatible with: alkalis oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: ammonia nitrogen oxides sulfur oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:

LD50: Oral rat LD50 = 3160 mg/kg.

LC50: None reported

Dermal Toxicity Data: None reported

Skin and Eye Irritation Data: Skin Human 4%/5 days intermittent MILD, Skin rabbit 500 mg/24H SEVERE, Eye rabbit 20mg MODERATE, Eye rabbit 250µg/24H SEVERE.

Mutation Data: None reported

Reproductive Effects Data: None reported

Ingredient Toxicological Data: --

Not applicable

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

Not applicable

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: None

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Sulphamic Acid

--

DOT Hazard Class: 8

DOT Subsidiary Risk: NA

DOT ID Number: UN2967

DOT Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Sulphamic Acid

--

ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA

ICAO ID Number: UN2967

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: Sulphamic Acid

--

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: NA

I.M.O. ID Number: UN2967
I.M.O. Packing Group: III
Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: TSCA Listed: Yes

TSCA CAS Number: 5329-14-6

16. OTHER INFORMATION

Intended Use: Laboratory Reagent

References: Vendor Information. NIOSH Registry of Toxic Effects of Chemical Substances, 1985-86. Cincinnati: U.S. Department of Health and Human Services, April, 1987. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. Outside Testing. Technical Judgment. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Revision Summary: Updates in Section(s) 14,

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2006